



L Number	Hits	Search Text	DB	Time stamp
_	18	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
		mail\$5)) same attach\$7) and (replac\$4	EPO; JPO;	10:55
		near11 attach\$7)	DERWENT;	
		,	IBM TDB]
-	43	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
		mail\$5))) and (replac\$4 near11 attach\$7)	EPO; JPO;	10:50
1	ļ	and (send\$4 forward\$4 transmit\$6	DERWENT;	10.00
	1	transfer\$4 receiv\$4)	IBM TDB	į
_	40	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
	1	mail\$5)) same (send\$4 forward\$4	EPO; JPO;	11:08
		transmit\$6 transfer\$4 receiv\$4)) and	DERWENT;	11.00
		(replac\$4 near11 attach\$7)	IBM TDB	
_	19	, •	USPAT;	2003/02/03
		mail\$5)) same (send\$4 forward\$4	EPO; JPO;	11:12
	-	transmit\$6 transfer\$4 receiv\$4)) and	DERWENT;	11.12
		(replac\$4 near11 attach\$7) and (public\$4	IBM TDB	
	}	privat\$4 encryp\$7)	1511_155	
_	433	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
	1	mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	14:40
-	}	prompt\$4 ask\$4) nearl1 (user client	DERWENT;	11.10
İ		sender receiver recip\$6)) and (eras\$4	IBM TDB	
		delet\$7)	10,1_100	
_	59	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
		mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	14:53
		prompt\$4 ask\$4) nearl1 (user client	DERWENT;	17.00
		sender receiver recip\$6) same (eras\$4		
		delet\$7)) and (telephon\$4 near11	IBM_TDB	
		network\$4)		
_	7	((e-mail email (electronic\$4 adj2	HCDAT.	2003/02/03
_	'		USPAT;	1
	1	mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	14:54
		prompt\$4 ask\$4) near11 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM_TDB	1
į		delet\$7) same attach\$7) and (telephon\$4 near11 network\$4)		1
! _	18		HCDAT.	2002/02/04
İ	10	<pre>(e-mail email (electronic\$4 adj2 mail\$5)) and ((attachment\$4 attach\$4) near11</pre>	USPAT;	2003/02/04 09:18
Į.		(delet\$7 eras\$4)) and ((send\$4 forward\$4	EPO; JPO; DERWENT;	09:10
		recipient\$4 receiv\$4 transmi\$7		
		transfer\$4) near11 (notif\$4	IBM_TDB	
		notification\$4 prompt\$6 acknowledg\$7))		<u> </u>
		<pre>and ((plurality) near7 (recipient\$4 user client member custumer consumer))</pre>		ļ
1_	52	(e-mail email (electronic\$4 adj2 mail\$5))	HCDATT.	2002/07/16
[]	32	and ((attachment\$4 attach\$4) near11	USPAT;	2003/07/16
			EPO; JPO;	12:53
		<pre>(delet\$7 eras\$4)) and ((recipient\$4 user client member custumer consumer) near11</pre>	DERWENT;	
			IBM_TDB	
		<pre>(notif\$4 notification\$4 prompt\$6 acknowledg\$7))</pre>		
]_	24		IICDAM.	2002/02/04
1-	24	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
1		mail\$5)) and ((attachment\$4 attach\$4)	EPO; JPO;	09:54
1		nearl1 (delet\$7 eras\$4)) and ((DERWENT;	
]		recipient\$4 user client member custumer	IBM_TDB	
		consumer) near11 (notif\$4 notification\$4		
		prompt\$6 acknowledg\$7))) not ((e-mail		
		email (electronic\$4 adj2 mail\$5)) and		
]		((attachment\$4 attach\$4) nearl1 (delet\$7		
		eras\$4)) and ((send\$4 forward\$4		!
j		recipient\$4 receiv\$4 transmi\$7		
;		transfer\$4) nearl1 (notif\$4		l i
	_	notification\$4 prompt\$6 acknowledg\$7)))		
-	5	<pre>(e-mail email (electronic\$4 adj2 mail\$5))</pre>	USPAT;	2003/02/04
]		and ((attachment\$4 attach\$4) near11	EPO; JPO;	09:55
		(delet\$7 eras\$4)) same ((recipient\$4	DERWENT;	
		user client member custumer consumer)	IBM_TDB	
}		nearl1 (notif\$4 notification\$4 prompt\$6		
L	l	acknowledg\$7))		•
				L —



	·			·
-	7	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
İ		and ((attachment\$4 attach\$4) near11	EPO; JPO;	10:27
İ		(delet\$7 eras\$4)) and ((recipient\$4 user	DERWENT;	
		client member custumer consumer) near11	IBM_TDB	
		(notif\$4 notification\$4 prompt\$6		
		acknowledg\$7) near11 (delet\$7 eras\$4))		1
	İ	and (notif\$4 notification\$4 prompt\$6		1
		acknowledg\$7) and (delet\$7 eras\$4)		
-	51	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
	ļ	and ((attachment\$4 attach\$4) same	EPO; JPO;	10:34
•		(delet\$7 eras\$4) same (recipient\$4 user	DERWENT;	
į		client member custumer consumer) same	IBM TDB	
		(notif\$4 notification\$4 prompt\$6	***-**	1
		acknowledg\$7))		
_	42	3	USPAT;	2003/02/04
	12	mail\$5)) and ((attachment\$4 attach\$4)	EPO; JPO;	10:35
		same (delet\$7 eras\$4) same (recipient\$4	DERWENT;	10.55
			1	
		user client member custumer consumer)	IBM_TDB	
		same (notif\$4 notification\$4 prompt\$6		
ł		acknowledg\$7))) not ((e-mail email		
		(electronic\$4 adj2 mail\$5)) and		
	1	((attachment\$4 attach\$4) near11 (delet\$7		
	1	eras\$4)) and ((send\$4 forward\$4		
		recipient\$4 receiv\$4 transmi\$7		
	1	transfer\$4) near11 (notif\$4		
		notification\$4 prompt\$6 acknowledg\$7)))		
_	46	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
	1	mail\$5))) and (replac\$4 near11 attach\$7)	EPO; JPO;	14:53
		manager, , and (aspane) insular assumity,	DERWENT;	
			IBM TDB	
 _	3	(((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
	,	mail\$5))) and (replac\$4 near11 attach\$7))	EPO; JPO;	14:54
			1	14:54
		and telephon\$5 and (stor\$4 sav\$4) and	DERWENT;	
		archival\$4 and (e-mail email	IBM_TDB	
		(electronic\$4 adj2 mail\$5))		
-	103	(telephon\$5 near6 network\$4) and (stor\$4	USPAT;	2003/02/04
		sav\$4) and archival\$4 and (e-mail email	EPO; JPO;	14:55
		(electronic\$4 adj2 mail\$5))	DERWENT;	
			IBM_TDB	
-	28	(telephon\$5 near6 network\$4) and	USPAT;	2003/02/04
İ		(attachment\$4 and (stor\$4 sav\$4)) and	EPO; JPO;	14:58
	1	archival\$4 and (e-mail email	DERWENT;	
		(electronic\$4 adj2 mail\$5))	IBM TDB	
-	26	<pre>(e-mail email (electronic\$4 adj2 mail\$5))</pre>	USPAT	2003/02/04
		and ((qur\$4 messag\$4 notif\$8 prompt\$4		15:36
		ask\$4) nearl1 (recipient\$4 user client		
		member custumer consumer computer)) and		
		(replac\$4 near11 attach\$8)		
l _	15	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
	13			
		mail\$5))) and (replac\$4 near11 attach\$7)	EPO; JPO;	15:37
		and (send\$4 forward\$4 transmit\$6	DERWENT;	
		transfer\$4 receiv\$4) and telephon\$5	IBM_TDB	2002/02/04
-	24	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		mail\$5))) and (replac\$4 near11 attach\$7)	EPO; JPO;	15:37
		and (send\$4 forward\$4 transmit\$6	DERWENT;	
		transfer\$4 receiv\$4) and (authentic\$7	IBM_TDB	
		<pre>public\$4 privat\$4 encryp\$7)</pre>	_	
-	145	((e-mail email (electronic\$4 adj2	USPAT;	2003/07/16
		mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	14:23
		prompt\$4 ask\$4) nearl1 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM TDB	
		delet\$7))		
1 -	43		USPAT;	2003/07/15
		mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	17:02
		prompt\$4 ask\$4) nearl1 (user client	DERWENT;	1,.02
		sender receiver recip\$6) same (eras\$4		
			IBM_TDB	
		delet\$7))) and ((notif\$6 notificat\$7		
		e-mail\$4 email\$4 (electronic adj mail\$4))		
	,	nearll (recipient receiv\$4) same (delet\$6	1	l i
		eras\$4))		!

		(((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
•	15	mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	17:01
		prompt\$4 ask\$4) near11 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM TDB	
		delet\$7))) and ((notif\$6 notificat\$7		
		e-mail\$4 email\$4 (electronic adj mail\$4))		
		nearl1 (recipient receiv\$4) nearl1		
		(delet\$6 eras\$4))		
	14	(((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
		mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	17:05
		prompt\$4 ask\$4) nearl1 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM_TDB	
		delet\$7))) and ((notif\$6 notificat\$7		
		e-mail\$4 email\$4 (electronic adj mail\$4))		
		nearll (recipient receiv\$4) same (delet\$6 eras\$4)) and ((user client sender	1	
		receiver recip\$6) same (view\$4 download\$4		
		receiv\$4) same attach\$8 same (delet\$6		
		eras\$4))		
	75	((notif\$6 notificat\$7 e-mail\$4 email\$4	USPAT;	2003/07/15
	, ,	(electronic adj mail\$4)) near11	EPO; JPO;	17:07
		(recipient receiv\$4) same (delet\$6	DERWENT;	
		eras\$4)) and ((user client sender	IBM_TDB	
		receiver recip\$6) same (view\$4 download\$4	-	
		receiv\$4) same attach\$8 same (delet\$6		
		eras\$4))		0000/07/15
	62	((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
		mail\$5)) nearl1 (user client sender	EPO; JPO;	17:20
		receiver recip\$6)) and ((notif\$6	DERWENT;	
		notificat\$7 e-mail\$4 email\$4 (electronic	IBM_TDB	
		adj mail\$4)) near11 (recipient receiv\$4)		
		same (delet\$6 eras\$4)) and ((user client sender receiver recip\$6) same (view\$4		
		download\$4 receiv\$4) same attach\$8 same		
		(delet\$6 eras\$4))		
	19		USPAT;	2003/07/15
		mail\$5)) near11 (user client sender	EPO; JPO;	17:23
		receiver recip\$6)) and ((notif\$6	DERWENT;	
		notificat\$7) near11 (recipient receiv\$4)	IBM TDB	
		same (delet\$6 eras\$4)) and ((user client	_	
	1	sender receiver recip\$6) same (view\$4		
		download\$4 receiv\$4) same attach\$8 same		
	İ	(delet\$6 eras\$4))		
	29	((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
		mail\$5)) nearll (user client sender	EPO; JPO;	17:49
		receiver recip\$6)) and ((notif\$6	DERWENT;	
		notificat\$7 indicat\$7) near11 (recipient	IBM_TDB	
		receiv\$4) same (delet\$6 eras\$4)) and		
		((user client sender receiver recip\$6)		
		same (view\$4 download\$4 receiv\$4) same		1
		attach\$8 same (delet\$6 eras\$4))	USPAT;	2003/07/15
	4	((e-mail email (electronic\$4 adj2 mail\$5)) nearll (user client sender	EPO; JPO;	17:50
		receiver recip\$6)) and ((notif\$6	DERWENT;	150
		notificat\$7 indicat\$7) near11 (recipient	IBM TDB	
		receiv\$4) same (delet\$6 eras\$4)) and	15.1-155	
	1	((user client sender receiver recip\$6)		
		same (view\$4 download\$4 receiv\$4) same		
		attach\$8 near8 (delet\$6 eras\$4))		
	20	((e-mail\$4 email\$4 (electronic\$4 adj2	USPAT;	2003/07/16
	20	mail\$5)) same attach\$7) and ((notif\$6	EPO; JPO;	09:39
		notification prompt\$4 ask\$4) near11 (user	DERWENT;	
	1	client sender receiver recip\$6) same	IBM TDB	1

mail\$5)))

client sender receiver recip\$6) same

nearl1 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2

(download\$4 view\$4 look\$4 retriev\$4) same (attach\$7 fil\$4 data information)) and ((notif\$6 notification prompt\$4 ask\$4)

9 ((sav\$4 stor\$4) near8 attach\$7) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (download\$4 view\$4 look\$4 retriev\$4 receiv\$5) same (attach\$7 fil\$4 data information)) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) 2 (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 (potif\$7 notification alert\$4) near7 (potif\$7 notification alert\$4) near7 (potif\$7 notification alert\$4) near7 (potif\$7 notification alert\$4) near7 (potif\$7 notification alert\$4) near7 (potif\$7 notification alert\$4]	
((notif\$6 notification prompt\$4 ask\$4) nearl1 (user client sender receiver recip\$6) same (download\$4 view\$4 look\$4 retriev\$4 receiv\$5) same (attach\$7 fil\$4 data information)) and ((notif\$6 notification prompt\$4 ask\$4) nearl1 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient POP; JPO; DERWENT; IBM_TDB 11:38 USPAT; IBM_TDB 12:34	
near11 (user client sender receiver recip\$6) same (download\$4 view\$4 look\$4 retriev\$4 receiv\$5) same (attach\$7 fil\$4 data information)) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient DERWENT; IBM_TDB 11:38 USPAT; IBM_TDB 12:34	
recip\$6) same (download\$4 view\$4 look\$4 retriev\$4 receiv\$5) same (attach\$7 fil\$4 data information)) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient USPAT; EPO; JPO; 12:34	
retriev\$4 receiv\$5) same (attach\$7 fil\$4 data information)) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) 2 (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$57 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient EPO; JPO; l2:34	
data information)) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) [receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 [user member client receiver recipient EPO; JPO; [user member clie	
notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) 2 (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient EPO; JPO; l2:34	
client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) 2 (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient EPO; JPO; 12:34	
(eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))) 2 (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 [
(electronic\$4 adj2 mail\$5))) (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient (PO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; 12:34	
creceiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 9 (notif\$7 notification alert\$4) near7 (user member client receiver recipient EPO; JPO; l2:34	
trasmi\$7) near7 (notifi\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 9 (notif\$7 notification alert\$4) near7 (user member client receiver recipient EPO; JPO; l2:34	
alert\$4) near7 (user member client dertstand alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 USPAT; 2003/07/16 (user member client receiver recipient EPO; JPO; 12:34	
receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient EPO; JPO; 12:34	
(retriev\$4 download\$4 view\$4) near7 attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient EPO; JPO; 12:34	
attach\$7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient EPO; JPO; 12:34	
9 (notif\$7 notification alert\$4) near7 USPAT; 2003/07/16 (user member client receiver recipient EPO; JPO; 12:34	
(user member client receiver recipient EPO; JPO; 12:34	
(user member client receiver recipient EPO; JPO; 12:34	
I I DEDWENT	
Subscriber/ hear, (restrey, assured as	
view\$4) near7 attach\$7 IBM_TDB	
12 (notif\$7 notification alert\$4) same (user USPAT; 2003/0//16	
member client receiver recipient EPO; JPO; 14:05	
subscriber sender) same (delet\$6 eras\$4) DERWENT;	
same attach\$7 same (e-mail\$4 email\$4 IBM_TDB	
(electronic\$4 adj2 mail\$5))	
3 (notif\$7 notification alert\$4) same (user USPAT; 2003/07/16	
member client receiver recipient EPO; JPO; 12:49	
subscriber sender) same ((delet\$6 eras\$4) DERWENT;	
subscriber sender, same ((derecto crasti) BEMINDE	
1 - 1 General email (electionity) and a marrial of the second of the sec	
I AND CALLACIMENTO ACCUCATO I INCLES	
I (derect) craspil same (acception	
client member custumer consumer) near11 IBM_TDB	
(notif\$4 notification\$4 prompt\$6	
acknowledg\$7))	
7 ((notif\$7 notification alert\$4) same USPAT; 2003/07/16	
(user member client receiver recipient EPO; JPO; 14:06	
subscriber sender)) and ((delet\$6 eras\$4) DERWENT;	
nearl1 attach\$7 nearl1 (e-mail\$4 email\$4 IBM_TDB	
(electronic\$4 adj2 mail\$5)))	
- 43 ((e-mail email (electronic\$4 adj2 USPAT; 2003/07/16	
mail\$5)) and attachment\$4) and ((e-mail EPO; JPO; 14:26	
email messag\$6 messeng\$6 (electronic\$4 DERWENT;	
adj2 mail\$5)) same attach\$7 same (remov\$5 IBM_TDB	
eras\$4 delet\$7)) and ((notif\$8 prompt\$4	
ask\$4) near11 (user client sender	
receiver recip\$6) same (eras\$4 delet\$7))	
4 ((e-mail email (electronic\$4 adj2 USPAT; 2003/07/16	
mail\$5)) and attachment\$4) and ((e-mail EPO; JPO; 14:26	
I mail 33)) and accacimiency) and //o mall	
CHILLY MEDDELIGITOR (VALUE - 1 -)	
(remov\$5 eras\$4 delet\$7)) and ((notif\$8	
prompt\$4 ask\$4) nearll (user client	
sender receiver recip\$6) same (eras\$4	
delet\$7))	